



编程语言的设计原理

Design Principles of Programming Languages

Haiyan Zhao, Di Wang

赵海燕, 王迪

Peking University, Spring Term 2024

Recap



- Core messages in the previous lecture
 - (Untyped) programming languages are defined by *syntax* and *semantics*
 - Syntax is often specified by grammars
 - Inductively vs structural induction
 - Semantics can be specified in three ways, and this book chooses *operational semantics* expressed as *evaluation rules*
 - Big step vs small step semantics



Abstract Machines

- An abstract machine consists of:
 - a set of *states*
 - a *transition relation* on states, written \rightarrow
“ $t \rightarrow t'$ ” is read as “ t evaluates to t' in *one step*”.
- A *state* records all the information in the abstract machine at a given moment.
 - e.g., an abstract-machine-style description of a conventional microprocessor would include the program counter, the contents of the registers, the contents of main memory, and the machine code program being executed.



Operational semantics for Booleans

- Syntax of terms and values

$t ::=$

`true`

`false`

`if t then t else t`

$v ::=$

`true`

`false`

terms

constant true

constant false

conditional

values

true value

false value



Evaluation relation for Booleans

- The evaluation relation $t \longrightarrow t'$ is **the smallest relation closed** under the following rules:

`if true then t2 else t3 → t2 (E-IFTRUE)`

`if false then t2 else t3 → t3 (E-IFFALSE)`

$$\frac{t_1 \longrightarrow t'_1}{\text{if } t_1 \text{ then } t_2 \text{ else } t_3 \longrightarrow \text{if } t'_1 \text{ then } t_2 \text{ else } t_3} \text{ (E-IF)}$$



Evaluation relation for Booleans

- Computation rules

`if true then t2 else t3 → t2 (E-IFTRUE)`

`if false then t2 else t3 → t3 (E-IFFALSE)`

- Congruence rules

$$\frac{t_1 \longrightarrow t'_1}{\text{if } t_1 \text{ then } t_2 \text{ else } t_3 \longrightarrow \text{if } t'_1 \text{ then } t_2 \text{ else } t_3} \text{ (E-IF)}$$

- Computation rules perform *“real” computation* steps
- Congruence rules determine *where computation rules* can be *applied* next



Evaluation relation for Booleans

→ is the *smallest two-place relation* closed under the following rules:

$$((\text{if true then } t_2 \text{ else } t_3), t_2) \in \longrightarrow$$

$$((\text{if false then } t_2 \text{ else } t_3), t_3) \in \longrightarrow$$

$$(t_1, t'_1) \in \longrightarrow$$

$$((\text{if } t_1 \text{ then } t_2 \text{ else } t_3), (\text{if } t'_1 \text{ then } t_2 \text{ else } t_3)) \in \longrightarrow$$

The notation $t \longrightarrow t'$ is short-hand for $(t, t') \in \longrightarrow$.

If the pair (t, t') is an evaluation relation, then the evaluation statement or judgement $t \longrightarrow t'$ is said to be derivable

Derivation

- “**Justification**” for *a particular pair of terms* that are in the evaluation relation in *the form of a tree*.

$$\begin{array}{c}
 \frac{}{s \rightarrow \text{false}} \text{E-IFTRUE} \\
 \frac{}{t \rightarrow u} \text{E-IF} \\
 \hline
 \text{if } t \text{ then false else false} \rightarrow \text{if } u \text{ then false else false} \text{E-IF}
 \end{array}$$

- These trees are called *derivation trees* (or just *derivations*).
- The **final statement** in a derivation is its **conclusion**.
- We say that the derivation is a **witness** for its conclusion (or a **proof** of its conclusion) — it records *all the reasoning steps* that justify the conclusion.

Induction on Derivation

$$\begin{array}{c}
 \frac{}{s \rightarrow \text{false}} \text{E-IFTRUE} \\
 \frac{}{t \rightarrow u} \text{E-IF} \\
 \hline
 \text{if } t \text{ then false else false} \rightarrow \text{if } u \text{ then false else false} \text{E-IF}
 \end{array}$$

- Write **proofs** about evaluation “*by induction on derivation trees.*”
- Given an arbitrary derivation \mathcal{D} with conclusion $t \rightarrow t'$, we assume the desired result for its *immediate sub-derivation* (if any) and proceed by *a case analysis* of *the final evaluation rule* used in constructing the derivation tree.



Induction on Derivation

Theorem [Determinacy of **one-step evaluation**]:

If $t \rightarrow t'$ and $t \rightarrow t''$, then $t' = t''$.

Proof. By **induction on derivation** of $t \rightarrow t'$.

If *the last rule* used in the derivation of $t \rightarrow t'$ is E-IfTrue, then t has the form

if true then t_2 else t_3 .

It can be shown that there is only one way to reduce such t .

.....



Normal Form

Definition: A term t is in **normal form** if *no evaluation rule* applies to it.

Theorem: Every *value* is in **normal form**.

Theorem: If t is in normal form, then t is a *value*.

Prove by **contradiction** (then by structural induction).



Multi-step Evaluation Relation

Definition: The multi-step evaluation relation \rightarrow^* is the *reflexive, transitive closure* of one-step evaluation.

Theorem [Uniqueness of normal forms]:

If $t \rightarrow^* u$ and $t \rightarrow^* u'$, where u and u' are both **normal forms**, then $u = u'$.

Theorem [Termination of Evaluation]:

For every term t there is some **normal form** t' such that $t \rightarrow^* t'$.

Extending Evaluation to Numbers

New syntactic forms

$t ::= \dots$
 0
 $\text{succ } t$
 $\text{pred } t$
 $\text{iszero } t$

$v ::= \dots$
 nv

$nv ::=$
 0
 $\text{succ } nv$

terms:
constant zero
successor
predecessor
zero test

values:
numeric value

numeric values:
zero value
successor value

New evaluation rules

$t \rightarrow t'$

$$\frac{t_1 \rightarrow t'_1}{\text{succ } t_1 \rightarrow \text{succ } t'_1}$$
 (E-SUCC)

$$\text{pred } 0 \rightarrow 0$$
 (E-PREDZERO)

$$\text{pred } (\text{succ } nv_1) \rightarrow nv_1$$
 (E-PREDSUCC)

$$\frac{t_1 \rightarrow t'_1}{\text{pred } t_1 \rightarrow \text{pred } t'_1}$$
 (E-PRED)

$$\text{iszero } 0 \rightarrow \text{true}$$
 (E-ISZEROZERO)

$$\text{iszero } (\text{succ } nv_1) \rightarrow \text{false}$$
 (E-ISZEROSUCC)

$$\frac{t_1 \rightarrow t'_1}{\text{iszero } t_1 \rightarrow \text{iszero } t'_1}$$
 (E-ISZERO)

Big-step Evaluation



$v \Downarrow v$	(B-VALUE)
$\frac{t_1 \Downarrow \text{true} \quad t_2 \Downarrow v_2}{\text{if } t_1 \text{ then } t_2 \text{ else } t_3 \Downarrow v_2}$	(B-IFTRUE)
$\frac{t_1 \Downarrow \text{false} \quad t_3 \Downarrow v_3}{\text{if } t_1 \text{ then } t_2 \text{ else } t_3 \Downarrow v_3}$	(B-IFFALSE)
$\frac{t_1 \Downarrow nv_1}{\text{succ } t_1 \Downarrow \text{succ } nv_1}$	(B-SUCC)
$\frac{t_1 \Downarrow 0}{\text{pred } t_1 \Downarrow 0}$	(B-PREDZERO)
$\frac{t_1 \Downarrow \text{succ } nv_1}{\text{pred } t_1 \Downarrow nv_1}$	(B-PREDSUCC)
$\frac{t_1 \Downarrow 0}{\text{iszero } t_1 \Downarrow \text{true}}$	(B-ISZEROZERO)
$\frac{t_1 \Downarrow \text{succ } nv_1}{\text{iszero } t_1 \Downarrow \text{false}}$	(B-ISZEROSUCC)

Stuckness



Definition: A closed term is **stuck** if it is in *normal form* but *not a value*.

Examples:

- succ true
- succ false
- if zero then true else false



Summary

- How to define syntax?
 - Grammar, Inductively, Inference Rules, Generative
- How to define semantics?
 - Operational, Denotational, Axiomatic
- How to define evaluation relation (operational semantics)?
 - Small-step/Big-step evaluation relation
 - Normal form
 - Confluence/termination



Chapter 5

The Untyped Lambda Calculus

What is lambda calculus for ?

Basics: Syntax and Operational semantics

Programming in the Lambda Calculus

Formalities (formal definitions)



Why Lambda calculus?

- Suppose we want to describe **a function** that **adds three to any number** we pass it.
- We might write

$\text{plus3 } x = \text{succ (succ (succ } x))$

i.e., $\text{plus3 } x$ is $\text{succ (succ (succ } x))$


Q: What is plus3 itself?

A: plus3 is the function that, given x , yields $\text{succ (succ (succ } x))$.

Story of Turing and Church



Alonzo Church
Lambda Calculus
lambda definable
Church' thesis



Alan Turing
Turing Machine
Turing computability



What is Lambda calculus for?

- A **core calculus** (used by Landin) for
 - capturing the language's *essential mechanisms*, with a collection of convenient **derived forms** whose behavior is understood by translating them into the core.
 - modeling programming language, as the foundation of many real-world programming language designs (including ML, Haskell, Scheme, Lisp, ...) , and *being central to contemporary computer science*.



Lambda calculus

- A **formal system** devised by Alonzo Church in the 1930's as a model for computability
 - *all computation* is reduced to the *basic operations of function abstraction and application*.
- A very simple but very powerful language based on pure abstraction, with
 - Turing complete
 - Higher order (functions as data)



Lambda calculus

- Widely used in the specification of programming language features, in language design and implementation, and in the study of type systems
- Important due to *the fact* that it can be viewed simultaneously as
 - *a simple programming language* in which computations can be described and
 - *a mathematical object* about which rigorous statements can be proved
- Can be enriched in a variety of ways



Basics

Syntax

Scope

Operational semantics



Syntax

- The *lambda calculus* (or λ -calculus) embodies this kind of *function definition* and *application* in the purest possible form

$t ::=$

x
 $\lambda x. t$
 $t t$

terms

variable

abstraction

application

- Terminology:
 - terms in the pure λ -calculus are often called λ -terms
 - terms of the form $\lambda x. t$ are called λ -abstractions or just abstractions

Syntax



- Recall the function

`plus3 x = succ (succ (succ x))`

- Write it with λ -terms as:

`plus3 = λx . succ (succ (succ x))`

Note:

This function exists independent of the name `plus3`

`$\lambda x.t$` is written “`fun x → t`” in OCaml.




Abstract and Concrete Syntax

- It is useful to distinguish **the syntax of programming languages** at *two levels of structure*:
 - **Concrete syntax** (or surface syntax) of the language refers to the *strings of characters* that programmers directly read and write
 - **Abstract syntax** is a *much simpler internal representation* of programs as *labeled trees* (called *abstract syntax trees* or ASTs)
 - The tree representation renders **the structure of terms** immediately obvious, making it a natural fit for the complex manipulations involved in both rigorous language definitions (and proofs about them) and the internals of compilers and interpreters.

Abstract Syntax Trees

- (s t) u






Syntactic conventions

- The λ -calculus provides *only one-argument functions*, all multi-argument functions must be written *in curried style*.
- The following *conventions* make the linear forms of terms easier to read and write:
 - Application *associates to the left*
e.g., $t u v$ means $(t u) v$, not $t (u v)$
 - Bodies of λ -abstractions *extend as far to the right as possible*
e.g., $\lambda x. \lambda y. x y$ means $\lambda x. (\lambda y. x y)$, not $\lambda x. (\lambda y. x) y$


Abstract Syntax Trees

- $(s\ t)\ u$ (or simply written as $s\ t\ u$)



Abstract Syntax Trees

- $\lambda x. (\lambda y. ((x y) x))$
(or simply written as $\lambda x. \lambda y. x y x$)





Scope

- *An occurrence* of the variable x is said to be *bound* when it occurs in the body t of an abstraction $\lambda x.t$, i.e.,
 - the λ -abstraction term $\lambda x.t$ binds the variable x , and the scope of this binding is the body t .
 - λx is a *binder* whose *scope* is t .
 - a binder can be *renamed* as necessary
 - so-called: *alpha-renaming*
 - e.g., $\lambda x.x = \lambda y.y$

Scope

- An occurrence of x is *free* if it appears in a position where it is not bound by an enclosing abstraction on x .
 - a **term with no free variable** is said to be *closed*.
 - *closed terms* are also called *combinators*.
- **Exercises:** Find free variable occurrences from the following terms:
 - $x y$,
 - $\lambda x.x$
 - $\lambda y.x y$
 - $(\lambda x.x) x$
 - $(\lambda x.x) (\lambda y.y x)$
 - $(\lambda x.x) (\lambda x.x)$
 - $(\lambda x.(\lambda y.x y)) y$

Operational Semantics

- If the function $\lambda x.t$ is applied to t_2 , we **substitute** *all free occurrences of x* in t with t_2 .
 - If the substitution would **bring a free variable** of t_2 in an expression *where this variable occurs bound*, we *rename the bound variable* before performing the substitution.

$$(\lambda x. t_{12}) t_2 \rightarrow [x \mapsto t_2] t_{12},$$

- Examples:

$$(\lambda x.x) (\lambda x.x) \rightarrow ?$$

$$(\lambda x.(\lambda y.x y)) y \rightarrow ?$$

$$(\lambda x.(\lambda y.(x (\lambda x.x y)))) y \rightarrow ?$$

Operational Semantics

- *Beta-reduction*: the only computation (**substitution**)

$$(\lambda x. t_{12}) t_2 \rightarrow [x \mapsto t_2] t_{12},$$

- the term obtained by *replacing all free occurrences* of x in t_{12} by t_2
 - a term of the form $(\lambda x. t) v$ — a *λ -abstraction* applied to a *value* — is called a *redex* (short for “*reducible expression*”)
 - the operation of rewriting a *redex* according to the above rule is called *beta-reduction*
- Examples:

$$(\lambda x. x) y \rightarrow y$$

$$(\lambda x. x (\lambda x. x)) (u r) \rightarrow u r (\lambda x. x)$$

Values



$v ::=$
 $\lambda x. t$

values
abstraction value



Evaluation Strategies

- Full beta-reduction
 - *any redex* may be reduced *at any time*.
- e. g., $id = \lambda x.x$, consider
 - $(\lambda x.x) ((\lambda x.x) (\lambda z. (\lambda x.x) z))$
 - we can apply *full beta reduction* to *any* of the following *underlined redexes*:

<u>$id (id (\lambda z. id z))$</u>	outermost
$id (\underline{(\lambda z. id z)})$	middle
$id (id (\lambda z. \underline{id z}))$	innermost

Note: lambda calculus is **confluent** under full beta-reduction.
 Ref. Church-Rosser property.



Evaluation Strategies

- The **normal order** strategy
 - The *leftmost, outmost redex* is always reduced *first*.
 - try to reduce always the **leftmost** expression of a series of applications, and continue until *no further reductions* are possible
 - the evaluation relation under this strategy is actually **a partial function**: each term t evaluates in one step to **at most one** term t'

$$\begin{aligned} & \text{id (id (\lambda z. id z))} \\ \rightarrow & \frac{\text{id (id (\lambda z. id z))}}{\text{id (\lambda z. id z)}} \\ \rightarrow & \lambda z. \text{id } z \\ \rightarrow & \lambda z. z \\ \rightarrow & \end{aligned}$$



Evaluation Strategies

- *call-by-name* strategy
 - a *more restrictive normal order* strategy, *allowing no reduction inside abstraction.*

$$\begin{aligned}
 & \text{id (id (\lambda z. id z))} \\
 \rightarrow & \frac{\text{id (\lambda z. id z)}}{\text{id (\lambda z. id z)}} \\
 \rightarrow & \lambda z. id z \\
 \not\rightarrow &
 \end{aligned}$$

- **stop** before the last and regard $\lambda z. id z$ as a *normal form*
- *call-by-need*



Evaluation Strategies

- *call-by-value* strategy
 - *only outermost redexes* are reduced and
 - where a redex is reduced *only when its right-hand side has already been reduced to a value*
- *value*: a term that *cannot be reduced any more*.

$$\begin{aligned} & \text{id (id (\lambda z. id z))} \\ \rightarrow & \frac{\text{id (\lambda z. id z)}}{\text{id (\lambda z. id z)}} \\ \rightarrow & \lambda z. id z \\ \dashrightarrow & \end{aligned}$$



Evaluation Strategies

- *call-by-value* strategy
 - **strict** in the sense that *the arguments to functions are always evaluated, whether or not they are used* by the body of the function.
 - reflects standard conventions found in most mainstream languages.
 - adopted in our course
- The choice of evaluation strategy actually *makes little difference* when discussing type systems.
 - The issues that motivate various typing features, and the techniques used to address them, are much the same for all the strategies.

Operational Semantics

- Computation rule

$$(\lambda x. t_{12}) v_2 \longrightarrow [x \mapsto v_2]t_{12} \quad (\text{E-APPABS})$$

- Congruence rules

$$\frac{t_1 \longrightarrow t'_1}{t_1 t_2 \longrightarrow t'_1 t_2} \quad (\text{E-APP1})$$

$$\frac{t_2 \longrightarrow t'_2}{v_1 t_2 \longrightarrow v_1 t'_2} \quad (\text{E-APP2})$$



Lambda Calculus

- Once we have λ -abstraction and application, we can *throw away all the other language primitives* and still have left *a rich and powerful programming language*.
- Everything is a function:
 - Variables always denote functions
 - Functions always take other functions as parameters
 - The result of a function is always a function



Abstractions over Functions

- Consider the λ -abstraction

$$g = \lambda f. f (f (succ\ 0))$$

- the parameter variable f is used in the function position in the body of g .
- terms like g are called higher-order functions.
- If we apply g to an argument like $plus3$, the “substitution rule” yields a nontrivial computation:

$$\begin{aligned} g\ plus3 &= (\lambda f. \underline{f (f (succ\ 0))}) (\underline{\lambda x. succ (succ (succ\ x))}) \\ i.e. & (\lambda x. succ (succ (succ\ x))) \\ & \quad ((\lambda x. succ (succ (succ\ x))) (\underline{succ\ 0})) \\ i.e. & (\lambda x. succ (succ (succ\ x))) \\ & \quad (\underline{succ (succ (succ (succ\ 0)))}) \\ i.e. & succ (succ (succ (succ (succ (succ (succ\ 0)))))) \end{aligned}$$



Programming in the Lambda Calculus

Multiple Arguments

Church Booleans

Pairs

Church Numerals

Recursion



Multiple Arguments

- λ -calculus provides *only one-argument functions*, all multi-argument functions must be written in curried style.

$$f(x, y) = t \quad (\text{i.e., } f\ x\ y)$$

currying



$$(f\ x)\ y = t$$

λ -encoding



$$f = \lambda x. (\lambda y. t)$$



Multiple Arguments

- In general, $\lambda x. \lambda y. t$ is a function that, given a value v for x , yields a function that, given a value u for y , yields t with v in place of x and u in place of y .
 - i.e., $\lambda x. \lambda y. t$ is a *two-argument function*.
- λ -abstraction that does nothing but *immediately yields another abstraction* — is very common in the λ -calculus.



Church Booleans

- Boolean values can be encoded as:

$$tru = \lambda t. \lambda f. t$$

$$fls = \lambda t. \lambda f. f$$

$$\begin{aligned}
 & \text{tru } v \ w \\
 = & \quad \underline{(\lambda t. \lambda f. t)} \ v \ w && \text{by definition} \\
 \longrightarrow & \quad \underline{(\lambda f. v)} \ w && \text{reducing the underlined redex} \\
 \longrightarrow & \quad v && \text{reducing the underlined redex}
 \end{aligned}$$

$$\begin{aligned}
 & \text{fls } v \ w \\
 = & \quad \underline{(\lambda t. \lambda f. f)} \ v \ w && \text{by definition} \\
 \longrightarrow & \quad \underline{(\lambda f. f)} \ w && \text{reducing the underlined redex} \\
 \longrightarrow & \quad w && \text{reducing the underlined redex}
 \end{aligned}$$

Church Booleans

- Boolean conditional and operators can be encoded as:

test = $\lambda l. \lambda m. \lambda n. l m n$

	<u>test tru v w</u>	
=	<u>$(\lambda l. \lambda m. \lambda n. l m n)$</u> tru v w	by definition
→	<u>$(\lambda m. \lambda n. tru m n)$</u> v w	reducing the underlined redex
→	<u>$(\lambda n. tru v n)$</u> w	reducing the underlined redex
→	tru v w	reducing the underlined redex
=	<u>$(\lambda t. \lambda f. t)$</u> v w	by definition
→	<u>$(\lambda f. v)$</u> w	reducing the underlined redex
→	v	reducing the underlined redex



Church Booleans

- How to define *not*?
 - a function that, given a boolean value *v*, returns *fls* if *v* is *tru* and *tru* if *v* is *fls*.

`not = λb. b fls tru`



Church Booleans

- Boolean conditional
 - *and* is a function that, given two boolean values *v* and *w*, returns *w* if *v* is *tru* and *fls* if *v* is *fls*.
 - thus *and v w* yields *tru* if both *v* and *w* are *tru*, and *fls* if either *v* or *w* is *fls*.
- *and* operators can be encoded as:

$$\mathit{and} = \lambda b. \lambda c. b \ c \ \mathit{fls}$$



Church Booleans

- How to define *or* ?

$$or = \lambda a. \lambda b. a \text{ tru } b$$



Pairs

- Encoding

```
pair = λf.λs.λb. b f s
fst  = λp. p tru
snd  = λp. p fls
```

- Example

```
    fst (pair v w)
=    fst ((λf. λs. λb. b f s) v w)  by definition
→    fst ((λs. λb. b v s) w)      reducing
→    fst (λb. b v w)              reducing
=    (λp. p tru) (λb. b v w)      by definition
→    (λb. b v w) tru             reducing
→    tru v w                      reducing
→*  v                             as before.
```



Church Numerals

- *Encoding Church numerals*
 - *Basic* idea: represent the number n by **a function** that “repeats **some action** n **times**”, making numbers into **active entities**

$$c_0 = \lambda s. \lambda z. z$$

$$c_1 = \lambda s. \lambda z. s z$$

$$c_2 = \lambda s. \lambda z. s (s z)$$

$$c_3 = \lambda s. \lambda z. s (s (s z))$$

- each number n is represented by **a term** c_n taking **two arguments**, s and z (for “successor” and “zero”), and applies s , n times, to z .



Functions on Church Numerals

- Successor

$$\text{suc} = \lambda n. \lambda s. \lambda z. s (n s z);$$

- addition

$$\text{plus} = \lambda m. \lambda n. \lambda s. \lambda z. m s (n s z);$$

- Multiplication

$$\text{times} = \lambda m. \lambda n. m (\text{plus } n) c0;$$

- Zero test

$$\text{iszro} = \lambda m. m (\lambda x. \text{fls}) \text{tru}$$

Both **suc** and **plus** take some Church numeral (**n** for **suc** and **m,n** for **plus**) and **yield another Church numeral** —i.e., **a function-** that accepts arguments **s** and **z**, applies **s** iteratively to **z**



Church Numerals

- Can you define *minus*?
 - Suppose we have *pred*, can you define *minus*?
 - $\lambda m. \lambda n. n \text{ pred } m$
- Can you define *pred*?
 - $\lambda n. \lambda s. \lambda z. n (\lambda g. \lambda h. h (g s)) (\lambda u. z) (\lambda u. u)$
 - $(\lambda u. z)$ -- a wrapped zero
 - $(\lambda u. u)$ – the last application to be skipped
 - $(\lambda g. \lambda h. h (g s))$ -- apply h if it is the last application, otherwise apply g
 - Try $n = 0, 1, 2$ to see the effect


Church Numerals

- predecessor*

$zz = \text{pair } c_0 \ c_0$

$ss = \lambda p. \text{pair } (\text{snd } p) \ (\text{scc } (\text{snd } p))$

$\text{prd} = \lambda m. \text{fst } (m \text{ ss } zz)$





Church Numerals

- We have seen that *booleans*, *numbers*, and the *operations on them* can be *encoded in the pure lambda-calculus*.
- When working with examples, however, it is often convenient to include *the primitive booleans and numbers* (and possibly other data types) as well.
- It is easy to *convert back and forth* between the two different implementations of booleans and numbers.
 - e.g., to turn a Church boolean into a primitive Boolean
 $\text{realbool} = \lambda b. b \text{ true false};$
 - To go the other direction, we use an if expression:
 $\text{churchbool} = \lambda b. \text{if } b \text{ then tru else fls}$



Normal forms

- Recall
 - A **normal form** is a term *that cannot take an evaluation step*.
 - A **stuck term** is a **normal form** that is not a value.
- Are there any stuck terms in the pure λ -calculus?
- Does **every term** evaluate to a **normal form**?

Divergence



$$\text{Omega} = (\lambda x. x x) (\lambda x. x x)$$

- Note that `omega` evaluates *in one step* to *itself*!
 - evaluation of `omega` **never reaches a normal form**: it diverges.
- Terms with no normal form are said to **diverge**.
- Divergent computation does not seem very useful in itself. However, there are **variants** of `omega` that are **very useful** ...



Recursion in the Lambda Calculus

Recursion



- Suppose f is some λ -abstraction, and consider the following term:

$$Y_f = (\lambda x. f (x x)) (\lambda x. f (x x));$$

$$\begin{aligned} Y_f &= \\ &\frac{(\lambda x. f (x x)) (\lambda x. f (x x))}{\longrightarrow} \\ & f \left(\frac{(\lambda x. f (x x)) (\lambda x. f (x x))}{\longrightarrow} \right) \\ & f \left(f \left(\frac{(\lambda x. f (x x)) (\lambda x. f (x x))}{\longrightarrow} \right) \right) \\ & f \left(f \left(f \left(\frac{(\lambda x. f (x x)) (\lambda x. f (x x))}{\longrightarrow} \right) \right) \right) \\ & \dots \end{aligned}$$



Recursion

- Y_f is still not very useful, since (like `omega`), all it does is diverge.
- Is there any way we could “slow it down”?



Recursion: Delaying divergence

$\text{delay} = \lambda y. \text{omega}$

- Note that delay is a value — it will only diverge when actually applying it to an argument, i.e., we can safely pass it as an argument to other functions, return it as a result from functions, etc.

$(\lambda p. \text{fst} (\text{pair } p \text{ fls}) \text{tru}) \text{delay}$

\rightarrow

$\text{fst} (\text{pair } \text{delay} \text{ fls}) \text{tru}$

\rightarrow

$\text{delay } \text{tru}$

\rightarrow

omega

\rightarrow

.....



Recursion: Delaying divergence

- Here is a variant of `omega` in which the delay and divergence are a bit more tightly intertwined:

$$\text{omegav} = \lambda y. (\lambda x. (\lambda y. x x y)) (\lambda x. (\lambda y. x x y)) y$$

- Note that `omegav` is a normal form. However, if we apply it to any argument `v`, it diverges:

$$\begin{aligned} & \text{omegav } v = \\ & \underline{(\lambda y. (\lambda x. (\lambda y. x x y)) (\lambda x. (\lambda y. x x y)) y) } \ v \\ & \quad \rightarrow \\ & \underline{(\lambda x. (\lambda y. x x y)) (\lambda x. (\lambda y. x x y)) } \ v \\ & \quad \rightarrow \\ & \lambda y. (\lambda x. (\lambda y. x x y)) (\lambda x. (\lambda y. x x y)) y \ v \\ & \quad = \\ & \text{omegav } v \end{aligned}$$

Recursion: another Delayed variant

- Suppose f is a function. Define

$$Z_f = \lambda y. (\lambda x. f (\lambda y. x x y)) (\lambda x. f (\lambda y. x x y)) y$$

by combining the “added f ” from Y_f with the “delayed divergence” of ω_{av} .

- apply Z_f to an argument v , something interesting happens:

$$\begin{aligned}
 & Z_f v = \\
 & \underline{(\lambda y. (\lambda x. f (\lambda y. x x y)) (\lambda x. f (\lambda y. x x y)) y)} v \\
 & \quad \rightarrow \\
 & \underline{(\lambda x. f (\lambda y. x x y)) (\lambda x. f (\lambda y. x x y))} v \\
 & \quad \rightarrow \\
 & f (\lambda y. (\lambda x. f (\lambda y. x x y)) (\lambda x. f (\lambda y. x x y)) y) v \\
 & \quad = \\
 & f Z_f v
 \end{aligned}$$



Recursion: another Delayed variant

$$\begin{aligned}
& Z_f \ v = \\
& (\lambda y. (\lambda x. f (\lambda y. x x y)) (\lambda x. f (\lambda y. x x y)) y) \ v \\
& \quad \rightarrow \\
& (\lambda x. f (\lambda y. x x y)) (\lambda x. F (\lambda y. x x y)) \ v \\
& \quad \rightarrow \\
& f (\lambda y. (\lambda x. f (\lambda y. x x y)) (\lambda x. f (\lambda y. x x y)) y) \ v \\
& \quad = \\
& f \ Z_f \ v
\end{aligned}$$

- Since Z_f and v are both *values*, the next computation step will be **the reduction of $f \ Z_f$** — that is, f gets to do some computation before we “diverge”



Recursion: Generic Z

If we define

$$Z = \lambda f. Z_f$$

i.e.,

$$Z = \lambda f. \lambda y. (\lambda x. f (\lambda y. x x y)) (\lambda x. f (\lambda y. x x y)) y$$

then we can obtain the behavior of Z_f for any f we like, simply by applying Z to f .

$$Z f \rightarrow Z_f$$



Recursion

- Fixed-point combinator

$$\mathbf{fix} = \lambda f. (\lambda x. \mathbf{f} (\lambda y. x x y)) (\lambda x. \mathbf{f} (\lambda y. x x y));$$

$$\mathbf{fix} \mathbf{f} = \mathbf{f} (\lambda y. (\mathbf{fix} \mathbf{f}) y)$$

- $Z = \lambda f. \lambda y. (\lambda x. \mathbf{f} (\lambda y. x x y)) (\lambda x. \mathbf{f} (\lambda y. x x y)) y$

Z here is essentially the same as the \mathbf{fix} given in the textbook

Recursion

- Basic Idea:

A *recursive* definition:

$$h = \langle \text{body containing } h \rangle$$

$$g = \lambda f . \langle \text{body containing } f \rangle$$
$$h = \text{fix } g$$

Recursion

- Example:

$$\begin{aligned} \text{fac} &= \lambda n. \text{ if } \text{eq } n \text{ c0} \\ &\quad \text{then } \text{c1} \\ &\quad \text{else } \text{times } n \text{ (fac (pred } n)) \end{aligned}$$

$$\begin{aligned} g &= \lambda f . \lambda n. \text{ if } \text{eq } n \text{ c0} \\ &\quad \text{then } \text{c1} \\ &\quad \text{else } \text{times } n \text{ (f (pred } n)) \\ \text{fac} &= \text{fix } g \end{aligned}$$

Exercise: Check that $\text{fac } \text{c3} \rightarrow \text{c6}$.



Recursion

$$\text{fix} = \lambda f. (\lambda x. f (\lambda y. x x y)) (\lambda x. f (\lambda y. x x y))$$
$$Y_f = (\lambda x. \mathbf{f} (x x)) (\lambda x. \mathbf{f} (x x));$$

- Assuming call-by-value
 - $(x x)$ in Y_f is not a value
 - while $(\lambda y. x x y)$ is a value
 - Y_f will diverge for any \mathbf{f}



Formalities (Formal Definitions)

Syntax (free variables)

Substitution

Operational Semantics



Syntax

- **Definition [Terms]:**

Let \mathcal{V} be a *countable set* of variable names.

The set of terms is *the smallest set* \mathcal{T} such that

1. $x \in \mathcal{T}$ for every $x \in \mathcal{V}$;
2. if $t_1 \in \mathcal{T}$ and $x \in \mathcal{V}$, then $\lambda x.t_1 \in \mathcal{T}$;
3. if $t_1 \in \mathcal{T}$ and $t_2 \in \mathcal{T}$, then $t_1 t_2 \in \mathcal{T}$.

- **Definition:** Free Variables of term t , written as $FV(t)$:

$$FV(x) = \{x\}$$

$$FV(\lambda x.t_1) = FV(t_1) \setminus \{x\}$$

$$FV(t_1 t_2) = FV(t_1) \cup FV(t_2)$$

- Please prove that $|FV(t)| \leq \text{size}(t)$ for every term t



Substitution

$$[x \mapsto s]x = s$$

$$[x \mapsto s]y = y \quad \text{if } y \neq x$$

$$[x \mapsto s](\lambda y. t_1) = \lambda y. [x \mapsto s]t_1 \quad \text{if } y \neq x \text{ and } y \notin FV(s)$$

$$[x \mapsto s](t_1 t_2) = [x \mapsto s]t_1 [x \mapsto s]t_2$$

Alpha-conversion : Terms that *differ only in the names of bound variables* are interchangeable *in all contexts*.

Example:

$$\begin{aligned} & [x \mapsto y z] (\lambda y. x y) \\ &= [x \mapsto y z] (\lambda w. x w) \\ &= \lambda w. y z w \end{aligned}$$



Operational Semantics

Syntax

$t ::=$

x

$\lambda x. t$

$t t$

$v ::=$

$\lambda x. t$

terms:

variable

abstraction

application

values:

abstraction value

Evaluation

$t \rightarrow t'$

$$\frac{t_1 \rightarrow t'_1}{t_1 t_2 \rightarrow t'_1 t_2}$$

(E-APP1)

$$\frac{t_2 \rightarrow t'_2}{v_1 t_2 \rightarrow v_1 t'_2}$$

(E-APP2)

$$(\lambda x. t_{12}) v_2 \rightarrow [x \mapsto v_2] t_{12}$$

(E-APPABS)



Summary

- What is lambda calculus for?
 - A core calculus for capturing language essential mechanisms
 - Simple but powerful
- Syntax
 - Function definition + function application
 - Binder, scope, free variables
- Operational semantics
 - Substitution
 - Evaluation strategies: normal order, call-by-name, *call-by-value*

Homework



- Read through and understand Chapter 5.
 - Do exercise 5.3.6 & 5.3.7 in Chapter 5.
- 5.3.6 EXERCISE [★★]: Adapt these rules to describe the other three strategies for evaluation—full beta-reduction, normal-order, and lazy evaluation. □
- 5.3.7 EXERCISE [★★ →]: Exercise 3.5.16 gave an alternative presentation of the operational semantics of booleans and arithmetic expressions in which stuck terms are defined to evaluate to a special constant `wrong`. Extend this semantics to $\lambda\mathbf{NB}$. □